

09/734,716

copy \$
4



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Re Application of:

Mizushima

CERTIFICATES OF CORRECTION

Patent No.: 6,862,541

Grant Date: March 1, 2005

For: Method and Apparatus for Concurrently Estimating Respective Directions of a Plurality of Sound Sources and for Monitoring Individual Sound Levels of Respective Moving Sound Sources

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR 1.323

Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
MAY 24 2005
of Correction

Sir:


Applicant hereby requests issuance of a Certificate of Correction pursuant to 37 CFR 1.323 as shown on the attached form PTO-1050.

Claim 11 of Letters Patent has two occurrences of the words "estimated direction". It is requested that the second occurrence of "estimated direction" be removed from the text.

Accordingly, issuance of the certificate is respectfully requested.

This was not a PTO printing error, therefore, a check in the amount of \$100.00 is attached for the Certificate of Correction fee, however, please charge any fee deficiency or credit any overpayment to Deposit Account No. 50-1088.

Respectfully requested,
CLARK & BRODY



A handwritten signature in black ink, appearing to read "Christopher W. Brody".

Christopher W. Brody, Reg. No. 30,340

33,613

1090 Vermont Avenue, NW, Suite 250
Washington, DC 20005
Telephone: 202-835-1753
Facsimile: 202-835-1755
Docket No.: 041-2077
Date: May 20, 2005

05/23/2005 SSITHIB1 00000115 6862541

01 FC:1811

100.00 OP

MAY 25 2005

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,862,541
DATED : March 1, 2005
INVENTOR(S) : Mizushima

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 21, lines 46 and 47: the second occurrence of "estimated direction" should be removed.

MAILING ADDRESS OF SENDER:

PATENT NO. 6,862,541

Christopher W. Brody
Clark & Brody
1090 Vermont Avenue, NW, Suite 250
Washington, DC 20005

Telephone: 202-835-1753
Facsimile: 202-835-1755

MAY 25 2005